tyco®

exacqVision LC Series Una
All-in-One Recorder

Key Features

- Connect up to 16 analog cameras and 16 IP cameras per appliance
- Pre-loaded with exacqVision Start VMS software
- Add configurable trigger inputs and outputs
- Access live and recorded video on Windows, Linux or Mac PCs through free exacqVision client application

All-in-One Recorder – Easiest to Quote, Install & Service

- 8 or 16 PoE+ camera ports, No external Ethernet switch required
- Includes 8 or 16 exacqVision START licenses (upgradeable to Pro or Enterprise)
- Up to 12TB of video storage for up to 16 IP cameras
- Unlimited scalability by adding more recorders

Camera Power Management

- Monitor and control camera power usage in exacqVision client, no separate switch management software required
- Save maintenance trips by remotely power cycle individual POE+ cameras
- High output power supply provides up to 25 watts per camera, 120 watts per 8 cameras, 240 watts per 16 cameras

Johnson Controls

Easy Connect

- Simply plug in and record; automatically configures IP cameras for motion-based recording
- Easily connect to supported IP cameras

View Video Anywhere with Free Client Software

- View and manage servers from Windows/Linux/MAC PCs with free client software
- View live and recorded video in any browser
- View live and recorded video on iOS, Android or Windows Phone 8 mobile devices with free application

3-Year Warranty & Software Updates

- Includes a 3-year hardware warranty and technical support
- 3 years of unlimited software updates to constantly increase the functionality of your exacqVision recorder

Specifications

	LC-POWERED IP CAMERA SERIES
IP	
Maximum IP Cameras	8 or 16
Included IP Licenses	8 or 16
PoE+ Camera Ports	8 or 16
Maximum Camera Power	25 watts per port max 120 watts (8 port)/240 watts (16 port)
Server	
Pre-Loaded VMS Software	Start(standard), Professional, Enterprise (optional)
Typical Video Storage Rate (Mbps)	150Mbps
Local Client Display Rate (FPS)	270 FPS
Maximum Hard Drives	2
Maximum Storage	12 TB
Monitor Output	HDMI, VGA
Operating System	Ubuntu Linux 14.04
CPU	Intel Celeron
RAM	4 GB
NIC	1x1 Gbps
USB	8 x USB (2 front, 6 rear)
Keyboard & Mouse	Included
General	
Dimensions	10.9" x 16.9" x 3.5" 27.7 x 42.9 x 8.9cm
Weight	14 lbs. 6.4 kg
Regulatory	UL-Listed, CE
Input Voltage	100/200 VAC auto-sensing
Operating Temperature	40° - 95° F 4.5 ° - 35 ° C

tyco

Johnson Controls

Johnson Controls